
Supplier SSCC Labeling Guidelines


Version 3 Mar 2014

Supplier SSCC Labeling Guidelines

Harris Scarfe has very specific requirements regarding the positioning and quality of SSCC labels on cartons and hangwear. These guidelines are designed to give suppliers examples of what is suitable for automated sortation at our Cross Dock facility and what is not.

Label positioning

Carton label positioning



The SSCC label must be placed on the right hand side of the longest side of each carton. The right hand edge of the barcode must be no less than 19 MM and no more than 80 MM from the vertical edge of the carton. The bottom of the barcode must be no less than 32 MM and no more than 80MM from the base of the carton (smaller cartons excepted).

Supplier SSCC Labeling Guidelines



Supplier SSCC Labeling Guidelines



Supplier SSCC Labeling Guidelines



Packing tape covered part of
The barcode

SSCC information
printed over the bar code



Supplier SSCC Labeling Guidelines



Extra shipping
barcode placed next
to SSCC barcodes

Label applied to outer
edge where it has been
defaced in-transit



Supplier SSCC Labeling Guidelines



Label applied at an angle




Label applied over carton join



Supplier SSCC Labeling Guidelines

Label positioning

Hangwear label positioning



The SSCC label must be applied to the upper right hand side of the bag (closed side of the hanger hook), below the shoulder. The bottom of the barcode must be no less than 120mm from the shoulder.

Supplier SSCC Labeling Guidelines

Label quality

The following examples display what is unsuitable for automated sortation at our Cross Dock facility



Faded

Interposing
vertical white
line through
length of label



Supplier SSCC Labeling Guidelines



Paper label applied with tape
(should be adhesive backed label
only, use of tape can make the
label un-scanable)

Upper barcode missing DC
postcode '3020' after ISO
country code (036)

